



Compactors		Rhino RC 100		Dynapac CA2500D		Bomag BW211D		Cat CS54	
General									
Brand	Rhino		Dynapac		Bomag		Cat		
Model	RC 100		CA2500D		BW211D		CS54		
Rated Output kW (HP)	110	(148)	82	(110)	95	(127)	98	(131)	
Static Drum Weight Kg (lb)	4,850	(10,692)	N/A	N/A	5,670	(12,500)	5,880	(12,963)	
Operational Weight Kg (lb)	10,000	(22,046)	10,000	(22,046)	10,600	(23,369)	10,555	(23,270)	
Static Line Force N/cm (lb/in)	242	(138)	N/A	N/A	N/A	N/A	271	(155)	
Engine									
Model (optional)	Cummins (Rhino)		Cummins		Deutz		CAT		
Type	6BT5.9		QSB3.3		TCD 3.6		C4.4		
Total Exhaust Cylinder L (cu. In)	5.9	(360)	N/P	N/P	N/P	N/P	4.4	(269)	
Rated Speed (rpm)	2,300		2,200		2,000		2,200		
Starting Type	Electric		Electric		Electric		Electric		
Specifications									
Static Drum Weight Kg (lb)	4,850	(10,692)	N/A	N/A	5,670	(12,500)	5,880	(12,963)	
Static Weight Tires Kg (lb)	4,150	(9,149)	N/A	N/A	2,865	(6,316)	N/P	N/P	
Drum Width mm (ft)	2,100	(6.9)	2,130	(7.0)	2,133	(7.0)	2,134	(7.0)	
Pad	OPT		No		No		Yes		
Weight Pad Kg (lb)	930	(2,050)	N/P		N/P		990	(2,183)	
Driving System									
Model	Hydrostatic Travel		Hydrostatic Travel		Hydrostatic Travel		Hydrostatic Travel		
Type	Drive Pump + Reducer		Piston Motor		N/P		Drive Pump + Reducer		
System pressure Mpa (psi)	35	(5,076)	N/P		N/P		N/P	N/P	
Hydraulic									
Model	Gear		Gear		N/P		N/P	N/P	
Vibrating Hydraulic System Pressure Mpa (psi)	14	(2,031)	N/P		N/P		N/P	N/P	
Dimensions									
Length mm (ft)	6,000	(19.7)	5,560	(18.2)	5,867	(19.2)	5,850	(19.2)	
Height mm (ft)	2,950	(9.7)	2,810	(9.2)	2,997	(9.8)	3,110	(10.2)	
Wheelbase mm (ft)	3,050	(10.0)	2,840	(9.3)	2,819	(9.2)	2,900	(9.5)	
Width mm (ft)	2,250	(7.4)	2,300	(7.5)	2,286	(7.5)	2,300	(7.5)	
Min. Ground Clearance mm (ft)	472	(1.5)	N/A	N/A	N/A	N/A	N/A	N/A	
Capacity									
Fuel L (gal)	250	(66.0)	190	(50.2)	250	(66.0)	242	(63.9)	
Engine Oil L (gal)	15	(4.0)	N/P	N/P	N/P	N/P	N/P	N/P	
Oil Hydraulic L (gal)	100	(26.4)	N/P	N/P	N/P	N/P	N/P	N/P	
Oil for Vibrating Drum L (gal)	9	(2.4)	N/P	N/P	N/P	N/P	N/P	N/P	

Equipment specifications and images may change without notice from Rhino Equipment Group Inc.

Rhino Equipment assumes no responsibility or liability for any information, specifications, condition reports, photography or information of the competitive equipment. Rhino Equipment is not responsible for the information contained or not contained regarding the competitive equipment.