



TOWER CRANE	RHINO		POTAIN		COMEDIL TEREX		LIEBHERR		L. COMANSA	
General	RHINO EQUIPMENT		POTAIN		COMEDIL TEREX		LIEBHERR		L. COMANSA	
Brand	RHINO EQUIPMENT		POTAIN		COMEDIL TEREX		LIEBHERR		L. COMANSA	
Model	RTC-4807		MCT 68		CTT 71-2.5 TS12		71 EC-B 5		5 LC 5010	
Capacities										
Maximum lifting capacity tons (lb)	4	(8,000)	3	(6,000)	2.5	(5,000)	5	(10,000)	5	(10,000)
Maximum lifting capacity - at Jib nose tons (lb)	0.71	(1,420)	1.1	(2,200)	1	(2,000)	1	(2,000)	0.9	(1,800)
Dimensions										
Maximum Radius m (ft)	48	(157)	46	(151)	50	(164)	50	(164)	50	(164)
Standard Height m (ft)	30	(97)	20	(66)	35	(114)	46	(149)	32	(104)
Maximum Height m (ft)	120	(394)	200	(656)	186	(610)	100	(328)	100	(328)
Rear Swing Radius m (ft)	13	(42)	N/P	N/P	N/P	N/P	12	(40)	11	(37)
Radius of maximum capacity m (ft)	11	(35)	20	(65)	25	(82)	10	(33)	20	(66)
Engine										
Power (Kw)	15		18		11		14		18	
Voltage (V)	200 to 400		200 to 400		400 OR 460		200 to 400		400	
Frequency (Hz)	50 or 60		50 or 60		50 or 60		50 or 60		50	
Relations										
Hoisting speed m/min (ft/min)	52	(171)	51	(167)	40	(131)	60	(197)	48	(157)
Working swing radius m (ft)	48	(157)	N/P	N/P	N/P	N/P	N/P	N/P	50	(164)
Max. Working wind speed m/s (ft/s)	20	(66)	25	(82)	N/P	N/P	N/P	N/P	N/P	N/P
Max. Wind speed for top Rising m/s (ft/s)	13	(43)	N/P	N/P	N/P	N/P	N/P	N/P	N/P	N/P
Max. Rising speed (r/min)	0.7		0.8		N/P		0.8		0.8	
Equipment specifications and images may change without notice from Rhino Equipment Group Inc.										
Rhino Equipment assumes no responsibility or liability for any information, specifications, condition reports, photography or information of the competitive equipment. Rhino Equipment is not responsible for the information contained or not contained regarding the competitive equipment.										