



**REX 60W**

**EXCAVATOR**








This Rhino excavator is loaded with enhancements that not only increase productivity and uptime, but lower daily operating costs, too. A high-efficiency “on-demand” cooling system, advanced multifunction monitor, and productivity modes to allow you to choose your digging style headline the long list of advances.

1. Ergonomically correct short-throw pilot levers provide smooth, predictable fingertip control with less movement or effort.
2. Generous flow, and swing torque help speed cycles. So you can do your best to stay on schedule or ahead of the weather.
3. Reliable and durable Rhino diesel engine, more efficient with low maintenance costs.

<b>ENGINE</b>	
Engine Make / Engine Model	Rhino 60W2DA
Emission Rating ( Optional )	Tier 2 ( Tier 3, Tier 4)
Net Power kW (Hp)	36.8 (49)
<b>POWERTRAIN</b>	
Maximum Travel Speed Km/h (M/ph)	16(10)
<b>HYDRAULIC</b>	
Hydraulic Pump Model	60WTARH
Pressure Mpa (psi)	20(2,900)
Max. Flow L/min (gpm)	95(25)
<b>UNDERCARRIAGE</b>	
Swing Speed	11.5 r/pm
<b>REFILL CAPACITIES L (gal)</b>	
Fuel Tank	80(21)
Hydraulic Tank	60(15)
<b>OPERATING DIMENSIONS</b>	
Arm Length mm(ft)	1,700(5.5)
Boom Length mm(ft)	2,800(9.1)
A. Max. Reach mm(ft)	5,856 (19)
B. Max. Digging Depth mm(ft)	3,527(11.5)
C. Max. Digging Height mm(ft)	5,380 (17.6)
Min. Swing Radius mm(ft)	2,146 (7.0)
Min. Turning Radius at Maximum Height mm(ft)	4,183(13.7)
<b>OPERATING WEIGHTS</b>	
With fuel tank 79kg (175 lbs) operator; 0.135m <sup>3</sup> ( 0.177cu.yd): and 1,700mm (5.5ft) arm	
Base Weight kg(lb)	6,000(13,227)



## MACHINE DIMENSIONS

A. Overall Length mm(ft)	5,453 (17.8)
B. Overall Height mm(ft)	2,633 (8.6)
C. Ground Clearance mm(ft)	813 (2.6)
D. Overall Width mm(ft)	1,530mm (4.4)
Height to the top of the boom	2,091(6.8)
Min. Ground Clearance mm(ft)	208(0.6)

## ATTACHMENTS

Rhino excavators come standard with the hydraulic line for attachments. Attachments include hydraulic hammers, and many more.

Rhino Hydraulic hammer 47BE

## OPTIONS

Rhino excavators come with different options like 4WD, Tier 3, Tier 4 engine, rock bucket, trench bucket, augers, thumb cutters, and many more according to work requirements.



Equipment specifications and images may change without notice from Rhino Equipment Group Inc.