

FULL RANGE MACHINERY



Mining • Construction • Demolition • Waste • Paving • Agriculture • Power Generation



www.rhinoeq.com



TABLE OF CONTENTS



WHEEL LOADERS, MOTORGRADERS

4



EXCAVATORS, BULLDOZERS

5



WHEEL EXCAVATORS, BACKHOES

6



WHEEL DOZERS, PIPELAYERS, TRACK LOADERS

7



SKID STEERS, TRUCKS

8



COLD PLANERS, ASPHALT PAVERS

9



TANDEM ROLLERS, PNEUMATIC ROLLERS

10



SOIL COMPACTORS, VIBRATORY COMPACTORS

11



FORKLIFTS, REACH STACKERS

12



LIGHT TOWERS, ATTACHMENTS

13



TOWER CRANES, HAMMERS

14



POWER GENERATORS

15



Rhino Equipment® is the result of the collaboration of various private equity business groups with more than 25 years of experience in manufacturing, production, and commercialization of machines for construction, demolition, mining, and power generation with applications and acceptance around the globe.



In our assembly plants we apply the best practices, standard processes, and global standards to improve safety, quality, speed, and cost. This allows us to make products more efficiently and meet deadlines more consistently, and to have a better response from the time an order arrives until the product is delivered.



Your Rhino® dealer provides peace of mind with expert parts and service support. Factory-trained technicians will service your equipment promptly and maintain your investment.



Need to add equipment to fulfill a new stimulus contract? Feel saddled with old, inefficient construction and mining equipment? Now Rhino Equipment® can help, with our new full machinery line 0% / low monthly finance program. It's a great way for constructors, contractors and engineers to finance and acquire productive and reliable new machinery with a single phone call.



Our genuine Rhino® parts are designed to work in perfect harmony with your machine for optimum performance and productivity. Rhino® uses superior materials and exacting manufacturing processes to keep our customers up and running.

Wheel Loaders



| Specifications | RWL65 | RWL102 | RWL132 | RWL163 | RWL186 |
|----------------------------|---------------|----------------|-------------------|----------------|----------------|
| Engine | 4BTA3.9 | 6BT5.9 | 6BTA5.9 or QSB5.9 | 6CTA8.3 | 6CTAA8.3 |
| Rated Output kW (hp)@rpm | 74(100)2,200 | 87(117)2,200 | 126(169)2,200 | 160(215)2,200 | 179(240)2,200 |
| Operational Weight Kg (lb) | 6,550(14,440) | 10,200(22,487) | 13,200(29,101) | 16,300(35,935) | 18,600(41,006) |
| Rated Load Kg (lb) | 1,880(3,968) | 3,000(6,614) | 4,000(8,818) | 5,000(11,023) | 6,000(13,228) |
| Bucket Capacity m3 (cu.Yd) | 1.0(1.3) | 1.4(1.8) | 2.0(2.6) | 3.0(3.9) | 3.0(3.9) |
| Breakout Force kN (lbf) | 71(15,614) | 96(21,582) | 134(30,124) | 150(33,721) | 186(41,814) |




| Specifications | RWL235 | RWL315 |
|----------------------------|--------------------|----------------|
| Engine | 6CTA8.3 or RWD240E | M11 |
| Rated Output kW (hp)@rpm | 178(240)2,200 | 250(335)2,100 |
| Operational Weight Kg (lb) | 23,500(51,809) | 31,500(69,446) |
| Rated Load Kg (lb) | 7,500(16,535) | 9,000(19,842) |
| Bucket Capacity m3 (cu.Yd) | 3.5(4.6) | 4.4(5.8) |
| Breakout Force kN (lbf) | 220(49,458) | 264(59,350) |

Options



Waste Handling



General Purpose



Pallet Forks

Buckets can be custom made depending on client requirements such as a bigger bucket for lighter material handling or clam buckets or among many other options.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Pallet forks, Grapples, ROPS, FOPS cab, A/C, Solid Tires, Hydraulic Line, and more...

Motor Graders



| Specifications | RM80 | RM120 | RM123 | RM138 |
|----------------------------|---------------------------|---------------------------|---------------------------|----------------|
| Engine | RM80-4J12T or Cummins 4BT | RM80-4J12T or Cummins 4BT | RD140-8A or Cummins 6CTAA | 6CTA8.3 |
| Rated Output kW (hp)@rpm | 60(80)2,800 | 85(114)2,200 | 132(177)2,200 | 142(190)2,200 |
| Operational Weight Kg (lb) | 6,000(13,228) | 6,110(13,470) | 14,500(31,967) | 15,200(33,510) |
| Length mm (ft) | 6,800(22.3) | 6,900(22.6) | 8,615(28.3) | 9,140(30) |
| Blade Length mm (ft) | 2,200(7.2) | 2,200(7.2) | 3,660(12) | 4,270(14) |



| Specifications | RM165 | RM166 |
|----------------------------|----------------|----------------|
| Engine | QSB6 | RHCB220 |
| Rated Output kW (hp)@rpm | 164(220)2,200 | 164(220)2,200 |
| Operational Weight Kg (lb) | 16,400(36,156) | 16,600(36,597) |
| Length mm (ft) | 9,140(29.5) | 8,990(29.5) |
| Blade Length mm (ft) | 4,320(14.2) | 4,320(14.2) |

Options




Dozer Blade



Rear Ripper



Front V Blade
















Mid Body Scarifier

Rhino Motor Graders come standard with rear ripper. They can come with front scarifier, front dozer blade, mid-body scarifier, and rear scarifier. As well as many other options depending on client requirements.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Front V Scarifier, Front V dozer Blade, Rear Ripper 5 Shank, Rear Ripper 3 Shank, All Wheel Drive, A/C, ROPS/FOPS, and more...



| Specifications |  REX10 |  REX18 |  REX22 |  REX30 |  REX35 |  REX50 |  REX70 |
|----------------------------|---|---|---|---|---|---|---|
| Engine | 3TNV82 | 3TNV82 | 3TNV82 | 4TNV88 | 4TNV88 | 4TNV94 | 4BT3.3 |
| Rated Output kW (hp)@rpm | 13.6(18)2,200 | 18.4(25)2,350 | 20(26.8)2,200 | 24(32.2)2,200 | 25(34)2,200 | 36.9(50)2,200 | 45(60)2,200 |
| Operational Weight Kg (lb) | 800(1,763) | 1,760(3,880) | 2,200(4,850) | 3,000(6,613) | 4,200(9,259) | 5,710(12,588) | 6,800(14,991) |
| Max. Digging Depth mm (ft) | 1,880(5.9) | 1,980(6.5) | 2,630(8.6) | 2,990(9.8) | 3,076(10.1) | 3,935(12.9) | 4,038(13.2) |
| Bucket Capacity m3 (cu.Yd) | 0.07(0.09) | 0.04(0.05) | 0.07(0.09) | 0.1(0.14) | 0.17(0.2) | 0.28(0.4) | 0.28(0.4) |






| Specifications |  REX130 |  REX210 |  REX330 |  REX360 |  REX450 |  REX700 |
|----------------------------|--|--|--|---|--|--|
| Engine | 4BTAA3.9 or QSF3.8 | 6BTAA5.9 or 6BG1TRP | 6LTAA8.9 | 6CTAA8 | QSM11 | QSX15 |
| Rated Output kW (hp)@rpm | 86(115)2,200 | 133(178)2,000 | 241(323)2,000 | 192(257)2,200 | 251(337)2,200 | 264(354)1,800 |
| Operational Weight Kg (lb) | 13,000(28,660) | 21,300(46,959) | 33,000 (72,753) | 34,500 (76,059) | 45,800(100,972) | 70,000(154,324) |
| Max. Digging Depth mm (ft) | 5,501(18) | 6,515(21.4) | 7,370(24.2) | 7,370(24.2) | 7,810(25.6) | 7,185(23.6) |
| Bucket Capacity m3 (cu.Yd) | 0.53(0.7) | 1(1.3) | 1.45(1.9) | 1.6(2.1) | 2.1(2.7) | 4 (5.2) |






Options

Rhino excavators come standard with the hydraulic line for attachments. Attachments include hydraulic hammers, thumb cutters, and many more.


Other Options: Tier 2, Tier 3, Tier 4 Engine, Rakes, Compactors, Cutters, Augers, Grapples, Longer Arm Length, Grinders, Rock Buckets and more...

| Specifications |  RD8 |  RD13 |  RD15 |  RD17 |  RD24 |
|---------------------------|---|--|--|--|--|
| Engine | 4BTA3.9 | EQ6BT5.9 | RD140-8A | RH52E871 | NT855/NTA855 |
| Rated output kW (hp)@rpm | 81(108)2,200 | 118(158)2,000 | 105(140)1,900 | 131(176)1,850 | 175(235)/209(280)1,800 |
| Operational weight Kg(lb) | 8,480(18,695) | 13,000(28,660) | 15,800(34,833) | 16,500(36,376) | 23,450(51,698)/30,700(67,681) |
| Blade width mm (ft) | 2,480(8.1) | 3,135(10.3) | 3,200(10.5) | 3,416(11.2) | 3,823(12.5) |

| Specifications |  RD36 |  RD50 |  RD55 |
|---------------------------|--|--|--|
| Engine | NTA855 | KTA19 | QSK19 |
| Rated output kW (hp)@rpm | 257(345)2,000 | 308(413)2,000 | 388(520)1,800 |
| Operational weight Kg(lb) | 35,900(79,146) | 49,500(109,129) | 61,500(135,584) |
| Blade width mm (ft) | 4,130(13.5) | 4,314(14.2) | 4,695(15.4) |



Options



Blades can be custom made depending on client requirements such as a bigger blade for lighter material handling or among many other options.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Triple Grouser Shoes, Swamp Shoes, Angle Blade, Straight Blade, Pat Blade, 6 - Way Blade, U-Blade, Semi-U Blade, Waste Blade, and more...





Wheel Excavators





| Specifications | REX60W | REX74CW | REX75W | REX210W |
|----------------------------|---------------|---------------|----------------|----------------|
| Engine | Rhino A498BPG | Rhino A498BPG | Cummins QSF2.8 | Cummins 6B5.9 |
| Rated Output kW (hp)@rpm | 45(60)2,500 | 45(60)2,500 | 53(71)2,200 | 129(172)2,200 |
| Operational Weight Kg (lb) | 5,980(13,184) | 7,400(16,314) | 7,090(15,630) | 20,600(45,415) |
| Max. Digging Depth mm (ft) | 2,857(9.4) | 2,990(9.8) | 3,930(12.8) | 6,330(20.8) |
| Bucket Capacity m3 (cu.Yd) | 0.2(0.3) | 0.2(0.3) | 0.2(0.3) | 1(1.3) |

Options


 Hydraulic Hammers


 General Purpose Buckets


 Shears


 Dozer Blades

Rhino excavators can come with hydraulic line for attachments. Attachments include hydraulic hammers, thumb cutters, and many more.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Rakes, Compactors, Cutters, Augers, Grapples, Longer Arm Length, Grinders, Rock Buckets and more...



Backhoe Loaders



Loader

| Specifications | RBH70 |
|----------------------------------|---------------|
| Engine | 4BTA3.9 |
| Rated Output kW (hp)@rpm | 82(110)2,200 |
| Operational Weight Kg (lb) | 7,600(16,755) |
| Rated Load kg (lb) | 2,750(6,063) |
| Max. Load Breakout Force kN (lb) | 44(9,892) |

Backhoe

| | |
|-----------------------------------|----------------|
| Rated Digging Capacity m3 (cu.Yd) | 0.3(0.4) |
| Max. Digging Depth mm (ft) | 4,340(14.2) |
| Max. Digging Force kN (ft) | 55(12,364) |
| Max. Dumping Height mm (ft) | 3,640(11.9) |
| Bucket Size Range mm (in) | 305-813(12-32) |



Options


 Hydraulic Hammers


 General Purpose Buckets


 4 in 1 Buckets

Rhino backhoes can come with the hydraulic line for attachments. Attachments include hydraulic hammers, thumb cutters, and many more.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Heavy Duty Bucket, Trench Hoe Bucket, Bucket Quick Couplers, Grapples, Pallet Forks, Augers, A/C, ROPS/FOPS, and more...



Wheel Dozers



| Specifications | RWD132 | RWD235 | RWD315 |
|----------------------------|----------------|----------------|----------------|
| Engine | 6BT5.9 | M11 | M11 |
| Rated Output kW (hp) @ rpm | 132(180)2,200 | 216(290)2,200 | 250(335)2,200 |
| Operational Weight Kg (lb) | 13,000(28,660) | 23,500(51,809) | 31,500(69,446) |
| Blade Width mm (ft) | 3,823(12.5) | 3,266(10.7) | 4,570(15.0) |
| Blade Capacity m3 (cu. Yd) | 3.0(3.9) | 4.5(5.9) | 5.3(6.9) |

Options



Waste Blade



Semi U Blade



Multi Shank Ripper

Blades can be custom made depending on client requirements such as a bigger blade for snow, lighter material handling or among many other options.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Angle Blade, Straight Blade, U-Blade, Semi-U Blade, Waste Blade, and more...



| Specifications | RTL17 | RTL24 | RTL36 |
|-----------------------------|----------------|----------------|----------------|
| Engine | Rhino C6 | Cummins NT855 | Cummins NTA855 |
| Rated Output kW (hp) @ rpm | 131(176)1,850 | 164(220)2,000 | 257(345)2,000 |
| Operational Weight Kg (lb) | 20,068(44,242) | 23,340(51,456) | 35,750(78,815) |
| Bucket Capacity m3 (cu. Yd) | 1.7(2.2) | 2.3(3.0) | 3.7(4.8) |

Options



Waste Handling



General Purpose



Multi Shank Ripper

Buckets can be custom made depending on client requirements such as a bigger bucket for lighter material handling or clam buckets or among many other options.

Other Options: Tier 2, Tier 3, Tier 4 Engine, Pallet forks, Grapples, ROPS, FOPS cab, Triple Grouser Shoes, Swamp Shoes, Hydraulic Line, and more...



| Specifications | RPL25 | RPL45 | RPL70 |
|----------------------------|----------------|----------------|-----------------|
| Engine | Rhino WD | Cummins NT855 | Cummins NTA855 |
| Rated Output kW (hp) @ rpm | 120(161)1,850 | 169(227)2,000 | 235(315)2,000 |
| Operational Weight Kg (lb) | 22,000(48,502) | 34,000(74,957) | 47,500(104,720) |
| Lifting Capacity kg (lb) | 25,000(55,116) | 45,000(99,208) | 70,000(154,324) |

Options



Tier 2, Tier 3, Tier 4 Engine, Triple Grouser Shoes, Swamp Shoes, 610mm Shoes, 1,100 mm Shoes, A/C, ROPS/FOPS, Central Lubrication, and more...

Track Loaders

Pipelayers



| Specifications | RS50-S | RS60-S | RS70-S |
|----------------------------|-------------------------------|---------------|------------------------|
| Engine | Rhino A498BPG or Kubota V3600 | Rhino A498BPG | Perkins 1104D-44T |
| Rated Output kW (hp)@rpm | 45(60)2,500 | 55(74)2,500 | 85(113)/74.5(100)2,200 |
| Operational Weight Kg (lb) | 3,100(6,834) | 4,086(9,008) | 4,260(9,391) |
| Rated Load Kg (lb) | 1,060(2,337) | 1,100(2,425) | 1,600(3,527) |
| Bucket Capacity m3 (cu.Yd) | 0.47(0.6) | 0.6(0.8) | 0.55(0.71) |
| Tires | 10-16.5 10ply | 12-16.5 10ply | 12-16.5 10ply |

Options

Tier 2, Tier 3, Tier 4 Engine, FOPS/ROPS Cab, Central Lubrication System, High Flow Pump, Augers, Backhoe, Bale Movers, Dozer Blade, Snow Blade, Boom Lifts, Hydraulic Hammers, Brooms, Waste Bucket, 4 in 1 Bucket, High Dump Bucket, Skeleton Rock Bucket, Utility Fork Bucket, Chipper, Cold Planers, Cement Mixer, Grader Blade, Grapples, Hitch Adapter, Mowers, Pallet Forks, Rakes, Rock Wheel, Roto Tiller, Scarifier, Scrapers, Snow Blower, Spreaders, Solid Tires, Grouser Tracks, Trench Filler, and more...



Off-Highway Trucks



| Specifications | RT50 | RT70 | RT100 |
|----------------------------|----------------|-----------------|-----------------|
| Engine | QSX15 | QSK23 | QST30 |
| Rated Output kW (hp)@rpm | 392(526)2,100 | 567(760)2,100 | 783(1,050)2,100 |
| Operational Weight Kg (lb) | 35,890(79,124) | 46,000(101,413) | 69,000(152,119) |
| Body Capacity m3 (cu. Yd) | 28.0(36.6) | 41.0(53.6) | 58.0(75.9) |
| Payload kg (lb) | 45,000(99,208) | 65,000(143,300) | 91,000(200,621) |



Articulated Trucks



| Specifications | RADT30 | RADT40 | RADT60 |
|-------------------------------|-----------------|-----------------|------------------|
| Engine | M11 | M11 | QSK19 |
| Rated Output kW (hp)@rpm | 330(442)2,200 | 350(469)2,400 | 522(700)2,000 |
| Operational Weight Kg (lb) | 53,000(116,845) | 73,000(160,937) | 108,000(238,099) |
| Carriage Capacity m3 (cu. Yd) | 13.9(18.1) | 18.5(24.1) | 31.0(40.5) |
| Payload kg (lb) | 30,000(66,138) | 39,000(85,980) | 60,000(132,277) |



Mining Trucks



| Specifications | RMT50 | RMT55 | RMT60 | RMT80 |
|----------------------------|-----------------|-----------------|-----------------|-----------------|
| Engine | Rhino WD615 | Rhino WD615 | Volvo D12 | Rhino T12.38 |
| Rated Output kW (hp)@rpm | 247(331)2,200 | 279(374)2,400 | 309(414)2,100 | 279(374)2,000 |
| Operational Weight Kg (lb) | 22,000(48,502) | 22,000(48,502) | 25,000(55,116) | 26,000(57,320) |
| Body Capacity m3 (cu. Yd) | 25.4(33.2) | 25.4(33.2) | 27.2(35.6) | 36.4(47.6) |
| Payload kg (lb) | 50,000(110,231) | 55,000(121,254) | 60,000(132,277) | 80,000(176,370) |



Options

Tier 2, Tier 3, Tier 4 Engine, Engine Brake, Central Lubrication, External Cameras, 16.00 R25 Tires, A/C, and more...



| Specifications | RCP500W | RCP1000W | RCP1300W | RCP2100T |
|----------------------------|---------------|-------------------|-------------------|----------------|
| Engine | Deutz F4L912 | Rhino SC8D190G2B1 | Rhino SC8D190G2B1 | Cummins QSX15 |
| Rated Output kW (hp)@rpm | 46(62)2,200 | 140(188)2,200 | 140(188)2,200 | 447(599)2,100 |
| Operational Weight Kg (lb) | 4,800(10,582) | 15,500(34,172) | 15,800(34,833) | 32,500(71,650) |
| Milling Width mm (in) | 500(19.7) | 1,000(39.4) | 1,300(51.2) | 2,100(82.7) |
| Milling Depth mm (in) | 60(2.4) | 150(5.9) | 120(4.7) | 320(12.6) |

Options



Power Milling Drum



Fine Milling Drum

Tier 2, Tier 3, Tier 4 Engine, Power Milling Drum, Fine Milling Drum, Smaller Milling Drum, Auto Leveling, Central Lubrication, 4WD, and more...



Cold Planers



| Specifications | RAP45T | RAP70T | RAP75T | RAP45W | RAP60W |
|----------------------------|----------------|----------------|-------------------|----------------|----------------|
| Engine | Rhino 4JR3AG7 | Rhino BF | Rhino SC8D190G2B1 | Rhino 4JR3AG7 | Cummins QSB3.9 |
| Rated output kW (hp)@rpm | 55(74)2,000 | 112(150)2,300 | 174(233)2,300 | 55(74)2,000 | 75(100)2,200 |
| Operational weight kg (lb) | 11,000(24,251) | 19,500(42,990) | 25,000(55,116) | 11,000(24,251) | 14,500(31,967) |
| Min. Paving Width mm (ft) | 2,500(8.2) | 3,000(9.8) | 3,000(9.8) | 2,500(8.2) | 2,800(9.2) |
| Max. Paving Width mm (ft) | 4,500(14.8) | 7,000(23.0) | 7,500(24.6) | 4,500(14.8) | 6,000(19.7) |

Options



Rubber Tracks



Steel Tracks



Extension Screeds


Tier 2, Tier 3, Tier 4 Engine, Infrared Heating Screed, Full Hydraulic Extension Screed, Auto-Leveling, Steel Tracks, and more...






Asphalt Pavers



| Specifications | RCT10H | RCT15H | RCT30H |
|------------------------------|--------------|--------------|--------------|
| Engine | XR420CC | 627CC | Rhino C7380Q |
| Rated Output kW (hp) | 10(13.5) | 17(23) | 26(35) |
| Operational Weight Kg (lb) | 1,000(2,204) | 1,500(3,306) | 3,000(6,614) |
| Drum Width mm (ft) | 800(2.6) | 900(2.9) | 1,300(4.3) |
| Exiting Force kN (lb) | 25(5,620) | 30(6,744) | 60(13,489) |
| Vibration Frequency Hz (vpm) | 70(4,200) | 65(3,900) | 50(3,000) |



| Specifications | RCT40H | RCT60H | RCT80H |
|------------------------------|--------------|---------------|---------------|
| Engine | Rhino ZN390Q | Rhino ZN390Q | 4BTA3.9 |
| Rated Output kW (hp) | 22(30) | 34(45) | 93(125) |
| Operational Weight Kg (lb) | 4,000(8,818) | 6,000(13,228) | 8,000(17,637) |
| Drum Width mm (ft) | 1,200(3.9) | 1,350(4.4) | 1,870(6.1) |
| Exiting Force kN (lb) | 39(8,768) | 60(13,489) | 180(40,466) |
| Vibration Frequency Hz (vpm) | 50(3,000) | 50(3,000) | 50(3,000) |



| Specifications | RCT100H | RCT120H | RCT143H |
|------------------------------|----------------|----------------|----------------|
| Engine | 4BTA3.9 | 4BTA3.9 | 6BTA |
| Rated Output kW (hp) | 93(125) | 93(125) | 110(148) |
| Operational Weight Kg (lb) | 10,000(22,046) | 12,000(26,455) | 14,000(30,865) |
| Drum Width mm (ft) | 2,130(7.0) | 2,130(7.0) | 2,130(7.0) |
| Exiting Force kN (lb) | 230(51,706) | 230(51,706) | 350(78,683) |
| Vibration Frequency Hz (vpm) | 50(3,000) | 50(3,000) | 55(3,300) |

Options



Pressurized Water Spray



Edge Cutter

ROPS/FOPS Cab, Tier 2, Tier 3, Tier 4 Engine, Pressurized Water Spray, Anti-Freeze Kit for Water Tanks, and more...



| Specifications | RPR109 | RPR1611 | RPR2011 |
|---------------------------------|-----------------|----------------|----------------|
| Engine | 4BT3.9 | 4BT5.9 | 6BTA5.9 |
| Rated Output kW (hp)@rpm | 73.5(98.5)2,400 | 110(148)2,400 | 125(168)2,400 |
| Min. Operational Weight Kg (lb) | 10,000(22,046) | 16,000(35,274) | 20,000(44,092) |
| Max. Operational Weight Kg (lb) | 16,000(35,274) | 26,000(57,320) | 30,000(66,139) |
| Ballast Volume m3 (cu. Ft) | 3.9(138) | 3.2(113) | 3.2(113) |

Options



Pressurized Water Spray

ROPS/FOPS Cab, Tier 2, Tier 3, Tier 4 Engine, Pressurized Water Spray, Anti-Freeze Kit for Water Tanks, and more...





| Specifications | RSC220 | RSC223 | RSC226 | RSC228 | RSC230 | RSC233 |
|-----------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|
| Engine | Rhino RSC8DK20 | Rhino RSC8DK23 | Rhino RSC9DK26 | Rhino RSC9DK26 | Rhino RSC9DK30 | QSM11 |
| Rated Output kW (hp)@rpm | 147(197)2,200 | 147(197)2,200 | 192(257)2,200 | 192(257)2,200 | 250(335)2,200 | 250(335)2,200 |
| Operational Weight Kg (lb) | 20,000(44,092) | 23,000(50,706) | 26,000(57,320) | 28,000(61,729) | 30,000(66,139) | 33,000(72,753) |
| Drum Diameter mm (ft) | 1,500(4.9) | 1,500(4.9) | 1,620(5.3) | 1,620(5.3) | 1,620(5.3) | 1,620(5.3) |

Options



Waste Blade



Semi U Blade



Refuse Compaction Wheels

ROPS/FOPS Cab, Tier 2, Tier 3, Tier 4 Engine, Infrared Outside Camera, Tilt Cylinder for Blade, A/C, U-Blade, Semi-U Blade, Soil Compaction Drums, Refuse Compaction Wheels, Soil Compaction Wheels, Woodchip Blade, Coal U Blades and more...



Soil Compactors



| Specifications | RC30 | RC70 | RC80 | RC100 | RC120 |
|--------------------------------------|--------------|----------------|----------------|----------------|----------------|
| Engine | Rhino ZN | Cummins 4BT3.9 | Cummins 4BT3.9 | Cummins 6BT5.9 | Cummins 6BT5.9 |
| Rated output kW (hp)@rpm | 22(30)2,600 | 75(100.6)2,500 | 75(100.6)2,300 | 110(148)2,300 | 110(148)2,300 |
| Operational weight kg (lb) | 3,000(6,614) | 7,000(15,432) | 8,000 (17,637) | 10,000(22,046) | 12,000(26,455) |
| Drum width mm (ft) | 1,200(3.9) | 1,700(5.6) | 1,700(5.6) | 2,100(6.9) | 2,100(6.9) |
| Static line force N/m (lb/in) | 114(65) | 210(154.9) | 260(191.8) | 262(193.2) | 286(210.9) |
| Static drum weight Kg (lb) | 1,510(3,329) | 3,311(7,300) | 3,900(8,598) | 4,850(10,692) | 6,500(14,330) |



| Specifications | RC140 | RC160 | RC180 | RC200 |
|---------------------------------------|----------------|----------------|----------------|----------------|
| Engine | Cummins 6BT5.9 | 6BT5 | 6BT5 | 6BT5 |
| Rated output kW (hp)@rpm | 110(148)2,300 | 110(148)2,300 | 132(177)2,300 | 132(177)2,300 |
| Operational weight kg (lb) | 14,000(30,865) | 16,000(35,274) | 18,000(39,683) | 20,000(44,092) |
| Drum width mm (ft) | 2,100 (6.9) | 2,100(6.9) | 2,100(6.9) | 2,100(6.9) |
| Static line force N/cm (lb/in) | 326(240.5) | 457(261) | 470(268) | 500(286) |
| Static drum weight Kg (lb) | 8,500(18,739) | 8,500(18,739) | 9,500(20,944) | 10,500(23,149) |



Vibratory Compactors

Options



Drum Drive System





Pad Foot System

Rhino Engine, Tier 2, Tier 3, Tier 4 Engine, ROPS/FOPS Cab, A/C, Pressurized Water Spray System, Drum Drive System, Pad Foot, Dozer Blade, Water Tank System, Asphalt Wheels, Central Lubrication, and more...



| Specifications | RFL200DT | RFL300DT | RFL400DT | RFL500DT | RFL700DT | RFL1000DT |
|-------------------------------|---------------|-----------------------|-----------------------|--------------------|---------------------|---------------------|
| Rated Capacity kg(lb) | 2,000 (4,409) | 3,000 (6,614) | 4,000 (8,818) | 5,000 (11,023) | 7,000 (15,432) | 10,000 (22,046) |
| Power Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |
| Power kW(hp) | 39 (52.3) | 42 (56.3) / 45 (60.3) | 45 (60.3) / 48 (64.4) | 59(79.1) / 82(110) | 81(108.6) / 82(110) | 81(108.6) / 82(110) |
| Lifting Height mm (in) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) |
| Turning Radius mm(in) | 2,450 (96.5) | 2,500 (98.4) | 2,720 (107.1) | 3,000 (118.1) | 3,450 (135.8) | 3,900 (153.5) |



| Specifications | RFL1200DT | RFL1500DT | RFL1600DT | RFL2000DT | RFL2500DT | RFL3000DT |
|-------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Rated Capacity kg(lb) | 12,000 (26,455) | 15,000 (33,069) | 16,000 (35,274) | 20,000 (44,092) | 25,000 (55,116) | 30,000 (66,139) |
| Power Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |
| Power kW(hp) | 97(130) | 142 (190) | 142 (190) | 160 (215) | 179(240) | 191(256) |
| Lifting Height mm (in) | 3,000 (118.1) | 3,500 (137.8) | 3,500 (137.8) | 3,500 (137.8) | 3,500 (137.8) | 3,500 (137.8) |
| Turning Radius mm(in) | 4,200 (165.4) | 5,800 (228.3) | 5,800 (228.3) | 6,250 (246.1) | 6,700 (263.8) | 7,260 (285.8) |



| Specifications | RFL3500DT | RFL4500DT |
|-------------------------------|-----------------|-----------------|
| Rated Capacity kg(lb) | 35,000 (77,162) | 45,000 (99,208) |
| Power Type | Diesel | Diesel |
| Power kW(hp) | 191(256) | 250 (335) |
| Lifting Height mm (in) | 3,500 (137.8) | 4,000 (157.5) |
| Turning Radius mm(in) | 7,260 (285.8) | 8,600 (338.6) |



| Specifications | RFL200LPG | RFL300LPG | RFL350LPG |
|-------------------------------|---------------|---------------|---------------|
| Rated Capacity kg(lb) | 2,000 (4,409) | 3,000 (6,614) | 3,500 (7,716) |
| Power Type | Gasoline/LPG | Gasoline/LPG | Gasoline/LPG |
| Power kW(hp) | 41 (55.0) | 41 (55.0) | 41 (55.0) |
| Lifting Height mm (in) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) |
| Turning Radius mm(in) | 2,400 (94.5) | 2,550 (100.4) | 2,575 (101.4) |



| Specifications | RFL200E | RFL300E | RFL350E |
|-------------------------------|--------------------|--------------------|--------------------|
| Rated Capacity kg(lb) | 2,000 (4,409) | 3,000 (6,614) | 3,500 (7,716) |
| Power Type | Battery / Electric | Battery / Electric | Battery / Electric |
| Load center mm (in) | 500 (19.7) | 500 (19.7) | 500 (19.7) |
| Lifting Height mm (in) | 3,000 (118.1) | 3,000 (118.1) | 3,000 (118.1) |
| Turning Radius mm(in) | 2,200 (86.6) | 2,350 (92.5) | 2,400 (94.5) |

Reach Stacker



| Specifications | RRS4500 |
|--|-----------------|
| Rated Capacity kg(lb) | 45,000 (99,208) |
| Power Type | Diesel |
| Lifting Speed (unload/loaded) mm/s (in/s) | 104/60 (4/2) |
| Lifting Height mm (in) | 15,100 (594) |
| Turning Radius mm(in) | 8,200 (323) |



Options

Options: Tier 2, Tier 3, Tier 4 Engine, Different wheel/tire types, power-line, side shifter, torque converter, temperature warning, A wide range of different platforms, front and fork attachments are available. And more...



Light Towers

Attachments



| Specifications | RLT4000M | RLT4000H | RLT4X150 Solar |
|------------------------------------|------------------|--------------|----------------|
| Number & Power of Lights | 4x1000W | 4x1000W | 4x150W |
| Mast Height(Fully Extended) m (ft) | 7.5(24.6) | 9(29.5) | 9(29.5) |
| Mast Lifting & Extension | Manual Operation | Hydraulic | Hydraulic |
| Fuel Tank Capacity L (gal) | 100(26.4) | 75(19.8) | N/A |
| Net Weight kg (lb) | 740(1,631) | 1,148(2,531) | 1,950(4,299) |



Options



Standard Bulb



LED Lamp

Rhino Equipment offers the perfect lighting solutions to tackle your applications. Trusted power generator packages, exceptional lamp performance, and flexible modular designs allow you to choose the model that best supports: construction sites, outdoor events, and industrial settings Available with tier 2, tier 3, tier 4 engine and more...



Palet forks



Rock wheels



Buckets



Brooms



Augers



Skid hoe



Grapples



Trench fillers

... and much more
Contact a dealer near you

Tower Cranes



| Specifications | RTC-2325 | RTC-4708 | RTC-4807 |
|---------------------------|-------------------------------------|--|---|
| Reach m (ft) | 25 (82) | 47 (154) | 48 (157) |
| Capacity tons@mts (lb@ft) | 0.8@25-2@11.7 (1,764@82-4,000@38.4) | 0.8@47 - 4@12.3 (1,764@154-8,000@40.4) | 0.71@48 - 4@10.7 (1,565@157.5-8,000@35.1) |
| Max. capacity tons (lb) | 2 (4,000) | 4 (8,000) | 4 (8,000) |
| Standard height mts(ft) | 23 (75.5) | 28.3 (92.8) | 29.7 (97.4) |
| Max. height m (ft) | 35 (114.8) | 120 (393.7) | 120 (393.7) |

| Specifications | RTC5013 | RTC-5512 | RTC-6014 |
|---------------------------|---------------------------------------|---|-------------------------------------|
| Reach mts(ft) | 50 (164) | 55 (180) | 60 (196.9) |
| Capacity tons@mts (lb@ft) | 1.3@50 - 6@13.7 (2,866@164-12,000@45) | 1.2@55 - 8@11.2 (2,646@180.4-16,000@37) | 1.4@60 - 8@15 (3,087@197-16,000@49) |
| Max. capacity tons (lb) | 6 (12,000) | 8 (16,000) | 8 (16,000) |
| Standard height mts(ft) | 40 (131.2) | 46 (150.9) | 46 (151.6) |
| Max. height mts(ft) | 140 (459.3) | 150 (492.1) | 161 (528.2) |

| Specifications | RTC-6014B | RTC-6516 | RTCE-5012T |
|---------------------------|--|--------------------------------------|-------------|
| Reach mts (ft) | 60 (197) | 65 (213) | N/A |
| Capacity tons@mts (lb@ft) | 1.4@60 - 10@11.7 (3,087@197-20,000@38) | 1.6@65 - 10@15 (3,527@213-20,000@49) | 2 (4,000) |
| Max. capacity tons (lb) | 10 (20,000) | 10 (20,000) | 2 (4,000) |
| Standard height mts (ft) | 46.2 (151.6) | 46.2 (151.6) | 50 (164.0) |
| Max. height mts (ft) | 200 (656.2) | 200 (656.2) | 300 (984.3) |

Options




Concrete Buckets, Pallet forks, Height Modules, Platforms, Grippers, Dumping bins, A/C, and more...

| Specifications | 254SK | 47SK-47BE | 714BE | 1826EX |
|------------------------------|-----------------------|------------------------|------------------------|-----------------------|
| Equipment class tons (lb) | 2.5-4.5 (5,512-9,921) | 4.0-7.0 (8,819-15,432) | 7.0-14 (15,432-30,865) | 18-26 (39,683-57,320) |
| Operational weight Kg (lb) | 150 (330) | 275 (606) | 510 (1,124) | 1,740 (3,836) |
| Height mm (ft) | 1,342 (4.4) | 1,600 (5.2) | 2,101 (6.9) | 2,327 (7.6) |
| Operating pressure bar (psi) | 90-120 (1,305-1,740) | 95-130 (1,378-1,885) | 130-150 (1,885-2,176) | 160-180 (2,321-2,611) |
| Impact range bpm | 600-1,100 | 500-900 | 400-800 | 400-500 |
| Hose diameter mm (in) | 12.7 (0.5) | 12.7 (0.5) | 19.05 (0.75) | 25.4 (1.0) |

| Specifications | 2735EX | 3255EX |
|------------------------------|-----------------------|------------------------|
| Equipment class tons (lb) | 27-35 (59,525-77,162) | 32-55 (70,547-121,254) |
| Operational weight Kg (lb) | 2,420 (5,335) | 3,020 (6,658) |
| Height mm (ft) | 2,500 (8.2) | 2,740 (9.0) |
| Operating pressure bar (psi) | 160-180 (2,321-2,611) | 160-180 (2,321-2,611) |
| Impact range bpm | 300-450 | 250-400 |
| Hose diameter mm (in) | 25.4 (1.0) | 31.7 (1.25) |



Options



Tools



Underwater Kit

Moil Tool, Chisel Tool, Blunt Tool, Asphalt Chisel, Wide Chisel, Underwater Kit, and more...

Rhino Equipment® is one of the world's top manufacturers of machinery and construction equipment. It has a full range of innovative products and solutions offering the best service and support worldwide; so it is always close to customers, we have a team of engineers and technicians to ensure quality and proper solution of our products.



- **EXCAVATORS**
- **BACKHOE LOADERS**
- **TRUCKS**
- **HAMMERS**
- **WHEEL LOADERS**
- **TRACK LOADERS**
- **VIBRATORY COMPACTORS**
- **TOWER CRANES**
- **COLD PLANERS**
- **ASPHALT PAVERS**
- **TANDEM ROLLERS**
- **PNEUMATIC ROLLERS**
- **MOTOR GRADERS**
- **SKID STEERS**
- **SOIL COMPACTORS**
- **WHEEL EXCAVATORS**
- **PIPELAYERS**
- **BULLDOZERS**
- **WHEEL DOZERS**
- **POWER GENERATORS**
- **FORKLIFTS**
- **LIGHT TOWERS**
- **ATTACHMENTS AND MORE...**



The availability of some models and equipment varies by country in which the equipment is used. Rhino Equipment reserves the right to change these technical or design specifications without prior notice and without incurring any obligation related to such change. Illustrations and text may include optional equipment and accessories and may not include all standard equipment. Your Rhino dealer can give you details of the products and their specifications available in your area.